



KLIPPO2008



BY APPOINTMENT
TO H.M. THE KING OF SWEDEN



Buying a lawnmower.

It can be difficult picking a new lawnmower as there are many to choose from. Klippo is renowned for its high quality and long service life. This is reflected by our strong reputation for machines that keep on going and going.

Perhaps you are still undecided. It costs quite a lot and there are other attractive machines available in stores. But it is not in the stores that they can show their true colours.

It is usually the last Saturday in October when the grass gets cut for the last time, when the weather is not at its best, when it is cold and when the garden is not quite as inviting as it is in May.

That is when it should start and do its job without fault. It is then you should feel pleased with your choice.

Our complete model range for the coming season is presented in this catalogue.

But we would also like to show you what it is that makes a Klippo stand out from other lawnmowers. When all is said and done it is a machine you have to get on with for many years to come. And it is therefore good to know what to expect of this long-term relationship.

– Roger Klotz, CEO

CONTENTS

LAWNMOWERS

CONSUMER MACHINES.....	12
Mulchers, small.....	14
Mulchers, medium.....	17
Mulchers, large.....	20
Collectors, medium.....	24
Collectors large.....	25
Cylinder mowers.....	30

LAWNMOWERS

PROFESSIONAL MACHINES.....	32
Mulchers.....	36
Collectors.....	39

SCARIFIERS.....	42
-----------------	----

CULTIVATORS.....	43
------------------	----

ORIGINAL COMPONENTS.....	46
--------------------------	----

TECHNICAL DATA.....	48
---------------------	----



1954.

Klippo is a Swedish company with a long tradition. The first Klippo machine, (which by the way was the first rotary lawnmower in Europe), left the factory in 1954.

Klippo's founder Karl Dahlman had then laid the foundations of quality that has helped us develop some of Sweden's best lawnmowers and garden machinery over the years.



-2008



Today, Klippo technology is in a class of its own. From the sturdy aluminium hood, which is the platform for stable operation and a long service life, to the well thought-out components that ensure long-term function.

We manage the legacy from Karl Dahlman with pride. Each machine must meet our expectations and exceed yours.

A young child wearing a red baseball cap and a red t-shirt with a black graphic is pushing a red and yellow toy lawnmower on a green lawn. The child is smiling and looking down at the mower. The background is a blurred green lawn with trees.

There are many stories about how Klippo machines just keep on going and going and end up being inherited by the next generation. If you were to strip a Klippo down to its constituent parts, you would quickly understand why.

Here, there are no compromises. Materials and technology are chosen with pedantic care, down to the smallest component. Each lawnmower is assembled by hand and the complete unit has a feel of solid premium quality and perfect balance.


This is why it lasts. Year after year after year...

Klippo lawnmowers
are designed for
a long service life.

All of Klippo's professional machines (except Pro 17) have side guards, which sit at a set distance from the ground regardless of cutting height, for increased safety.



The adjustable handle makes it easier to cut under bushes, hedges and trees. No more branches in your face.



Honda or Briggs & Stratton, only the best is good enough. Among the B&S engines, there is an engine with "Ready Start" which is even easier to start. No choke or fuel priming needed.



Klippo wheels are not like other wheels. They are very easy-rolling and hard-wearing. And of course, they have maintenance-free bearings, sturdy steel rims and proper, wide rubber tyres which have good traction and low ground pressure.




An eternal life on the lawn.

Cutting the grass is one thing.

Doing it week after week, year after year, is something else.

Klippos are made to last and often end up being passed on to the next generation.

One of the secrets behind this is the single-cast aluminium alloy hood, which never rusts. Which is something that the love between a Klippo and its owner doesn't normally do either.



KlippoDrive

It is what is on the inside that counts. This also applies to a lawnmower. Klippo's unique front wheel drive system consists of a belt from the crankshaft which runs to a bevel gear, which, in turn, transfers the power to a belt that drives the front wheels. There are four ball-bearings in the bevel gear, the variator shaft also runs on a bearing and the belt tensioner has a bearing that the belt runs over.

All ball-bearings are double sealed and are

maintenance-free metal ball-bearings. The bevel gear housing is made of aluminium and the gear housing is made of glass fibre reinforced polyamide.

This all sounds rather technical, doesn't it? You must excuse the way we describe our machines.

One could call it technical pride. But really it is enough to know that Klippo maintains the same high quality in all its components.

CLUTCH ARM

For smooth engagement and disengagement operation.

PULLEYS

The belts run over the pulleys, which help to transfer the power from the engine to the drive wheels.

BALL-BEARINGS

Adjustable ball-bearings which keep the belts ideally tensioned.

BELTS

Durable belts especially developed for Klippo's gearboxes, which make for long and safe operation.



A close-up, high-angle photograph of a red lawnmower deck. The deck is the central focus, showing its curved shape and the mounting area for a black blade. The blade is positioned diagonally across the frame. The red paint has a fine, pebbled texture. In the background, a black tire with a tread pattern is visible, mounted on a metal axle. The overall composition is clean and industrial, set against a plain white background.

Too many
lawnmowers
forget the most
important thing.

The Grass

For the perfect cutting result, the blades must work together with the hood. In order for this to occur optimally, a vacuum must be created inside the hood. This enables the grass to "stay put" and can then be cut several times.

The lawnmower you chose depends on your lawn and your cutting requirements. To fertilise the grass at the same time as cutting, choose a mulcher model, [page 12](#). Each blade of grass is shredded so finely that it vanishes into the lawn and serves as additional fertiliser. This means that you do not have to rake and collect the grass.

However, for a completely clear lawn, a lawnmower with a collector might be more appropriate, [page 22](#). If you dream of a "striped" classical lawn then the cylinder mower is for you, [page 28](#). There is always a Klippo to suit every lawn.

KlippoMulchers

Intelligent, environmentally-friendly and "easy" technology. Mulching means "to break down". The technique is simple and therefore extremely reliable.


The mulching system consists of a hood that works with a fixed blade, which is directly on the engine's shaft. The blade is designed so that it cuts at several different levels whilst it rotates. The technique is therefore sometimes also known as multiclip.

The grass is finely shredded and spread into the lawn as an extra fertiliser. There is no need to rake the lawn or collect the clippings if you cut the lawn frequently (once a week is usually sufficient).

The cuttings act as a fertiliser for the lawn, this saves you time, effort and money when it comes to the upkeep of your lawn.

You also help the environment by reducing the use of artificial fertilisers.

It is almost as if your lawn looks after itself by using Mulcher technology.



CROSS-CUT


A new type of Mulcher blade that shreds the cuttings using four cutting edges. Applies to Excellent and Comet.

ENGINES

Klippo uses powerful and strong quality engines from established manufacturers Briggs & Stratton and Honda.

DRIVE

The transmission is unique to Klippo. It uses ball-bearings and a V-belt that transfers the power to the front wheels. The simplicity means that the transmission is, in principle, maintenance-free.



FRONT WHEEL DRIVE

Front wheel drive makes the machine even easier to operate, which makes light of work on large or hilly lawns.



READY START

Excellent, Excellent S and Comet S have Ready Start to make the engine as easy to start as possible.

ADJUSTABLE HANDLE

Anybody who has had a tree branch in the face will understand what we mean. Klippo's handle can be angled with a different grip, which means you can walk slightly to the side of the mower along hedges, trees and bushes.

WIDE RUBBER TYRES

They are very easy-rolling and hard-wearing. Maintenance-free bearings, sturdy steel rims and proper, wide rubber tyres which have good traction and low ground pressure.

TWO HOODS IN ONE

The single-cast aluminium hood has a detachable insert that gives you "two mowers in one". The insert can be removed if you have not cut the grass for a while. This helps to prevent tall, thick grass from jamming the cutting mechanism. Does not apply to Triumph, Energy and collectors.

STEEL RIMS

Steel rims with double ball-bearings which make the wheels easy-rolling and hard-wearing.



ENERGY



TRIUMPH

Klippo Pro 17 is available for those with slightly higher demands, see page 36.

ENERGY

Energy is the electric mower for those who don't want to compromise on quality in any form, whether cutting results or technology. It is stable and easy to manoeuvre, and totally built with the environment in mind. Mostly made of recycled material and more than 90% can be recycled again.

Electric supply, 240 V. Cutting width 42 cm. Cutting height 25-50 mm. Engine EI 240 V/1300 watt. Weight 22 kg. Item no. 965229701

- ENVIRONMENTALLY FRIENDLY – NO EMISSIONS
- LOW NOISE LEVEL
- MULCHER SYSTEM FOR EFFECTIVE LAWN CARE
- EASY AND SMOOTH TO OPERATE
- THE QUALITY MACHINE AMONG ELECTRIC MOWERS

TRIUMPH

Our smallest petrol-driven machine, yet it comes with all the classical Klippo details: one-piece aluminium chassis, steel wheels with double-sealed ball bearings and ergonomic handle adjustable both vertically and laterally to make all work situations easier.

Cutting width 42 cm. Cutting height 25-50 mm. Engine Briggs & Stratton Sprint XT 158 cm³. Weight 25 kg. Item no. 965229601

- MULCHER SYSTEM FOR EFFECTIVE LAWN CARE
- EASY AND SMOOTH TO OPERATE
- KLIPPO QUALITY IN A COMPACT FORMAT





Klippo's hoods are made of aluminium, are single-cast and are rust proof.





CHAMPION

CHAMPION

An all round mower for those with a small or medium size lawn. Very easy to drive on account of the perfect balance and low weight. Equipped with mulcher cutting system to satisfy varying mowing requirements. A true workhorse featuring all the classic Klippo details. The deck features a removable insert to make the mower a totally all round machine. If the grass is long or thick, it will be easier to mow when this insert is removed.

Cutting width 48 cm. Cutting height 30-60 mm.
Engine Briggs & Stratton Quantum 190 cm³.
Weight 29 kg. Item no. 965223901

- *MULCHER SYSTEM FOR EFFECTIVE LAWN CARE*
- *POWERFUL, YET EASY TO HANDLE*
- *CAN TACKLE CUTTING OF EXTREMELY TALL GRASS*



EXCELLENT

- MULCHER SYSTEM FOR EFFECTIVE LAWN CARE
- SIMPLE OPERATION VIA FRONT WHEEL DRIVE SYSTEM*
- EXCELLENT CUTTING RESULT WITH CROSS-CUT BLADE
- CAN TACKLE CUTTING OF EXTREMELY TALL GRASS
- VERY EASY-TO-START ENGINES
- NON-VIBRATING GRIP

* APPLIES TO EXCELLENT S AND EXCELLENT S GCV

EXCELLENT GCV



Klippo Pro 19 is available for those with slightly higher demands, see page 36.



EXCELLENT S



EXCELLENT S GCV



EXCELLENT

One of our absolute best sellers producing an unequalled mowing result. The complete Excellent range is equipped with Klippo's unique, fully cast aluminium deck. The deck features a removable insert to make the mower a totally all round machine. If the grass is long or thick, it will be easier to mow when this insert is removed.

Cutting width 48 cm.

Cutting height 30-60 mm.

Engine Briggs & Stratton Quantum Ready Start 190 cm³. Weight 30 kg. Item no. 965227601

EXCELLENT GCV

The same machine as Excellent, but with a more refined engine. Perhaps the quietest and cleanest machine of its size available on the market. Overhead valves and camshaft form a part of the secret behind it. Eco-labelled with the Swan.

Cutting width 48 cm.

Cutting height 30-60 mm.

Engine Honda GCV 135 cm³.

Weight 28 kg.

Item no. 965227701

EXCELLENT S GCV

Same machine as Excellent GCV, complemented with the unique front-wheel drive. A perfect combination of the unique hood with the silent and clean Honda engine. Eco-labelled with the Swan.

Cutting width 48 cm.

Cutting height 30-60 mm.

Engine Honda GCV 135 cm³.

Weight 32 kg. Item no. 965227901

EXCELLENT S

The same machine as the Excellent, but with our unique front-wheel drive. This is well known for its reliability, durability and comfortable speed. Front-wheel drive makes the machine even easier to work with, especially if the terrain is slightly hilly or extensive.

Cutting width 48 cm.

Cutting height 30-60 mm.

Engine Briggs & Stratton Quantum Ready Start 190 cm³. Weight 32 kg.

Item no. 965227801

- MULCHER SYSTEM FOR EFFECTIVE LAWN CARE
- SIMPLE OPERATION VIA FRONT WHEEL DRIVE SYSTEM
- EXCELLENT CUTTING RESULT WITH CROSS-CUT BLADE
- TIME SAVING THANKS TO LARGE CUTTING WIDTH
- CAN TACKLE CUTTING OF EXTREMELY TALL GRASS
- VERY EASY-TO-START ENGINES



COMET S



Klippo Pro 21 is available for those with slightly higher demands, see page 37.

COMET S

A Mulcher mower that mows slightly wider, ideal for those with a larger lawn. All Comet mowers are self-propelled with durable front wheel drive. Eco-labelled with the Swan.

Cutting width 53 cm. Cutting height 30-60 mm.
 Engine Briggs & Stratton DOV Ready Start 160 cm³.
 Weight 34 kg.
 Item no. 965224901

COMET S GCV

GCV means that you can have your Comet with a Honda GCV engine. It is otherwise the same as Comet S. Eco-labelled with the Swan.

Cutting width 53 cm.
 Cutting height 30-60 mm.
 Engine Honda GCV 160 cm³.
 Weight 33 kg. Item no. 965224701

COMET S ELSTART

The ultimate convenience – a Comet with electric start. Turn the key located up by the handle and the machine is running.

Cutting width 53 cm.
 Cutting height 30-60 mm.
 Engine Briggs & Stratton DOV EI 160 cm³.
 Weight 37 kg.
 Item no. 965225001



KlippoCollectors

Using a collector means that every thing is "done and dusted" once you have finished mowing. Ideal for those who want a neat and tidy lawn after mowing.

You can compost the clippings and mix them with sand for perfect top soil.

Klippo's collector system has specially designed blades that, together with the shape of the hood "speed up" the grass for maximum collection effect.

The collector itself is generously sized and as solid and sturdy as the machine.

EASY-TO-START

The engines on Klippo's collector machines are easy-to-start. Self start is available as an option on Brilliant.

POWERFUL ENGINE

All collector models have powerful Briggs & Stratton engines.

DRIVE

Klippo's collectors are either front or rear wheel drive.

STURDY HOODS

Aluminium hoods that never rust, shaped for the best possible collecting capacity.





BAGGER

Our collector models are equipped with durable and capacious net baggers.

COMBINATION POSSIBILITIES

With Klippo Cobra models you get several machines in one. They can be used as collectors, mulchers and rear dischargers.

BRILLIANT S



Klippo Pro
Cobra S is
available for
hose with slightly
higher demands,
see page 39.



COBRA S

BRILLIANT S

Rear wheel drive for hilly terrain. Brilliant is also available with convenient Self start technology. Even in its base version, you get a lot of machine for your money. As well as an easy-to-handle 62 litre bagger.

- *COLLECTION GIVES A NEAT AND TIDY LAWN*
- *GREAT ACCESS THANKS TO REAR WHEEL DRIVE*
- *LARGE COLLECTOR VOLUME MEANS FEWER EMPTYINGS*

BRILLIANT S

Cutting width 45 cm. Cutting height 20-70 mm.
 Engine Briggs & Stratton Quantum 190 cm³. Weight 37 kg.
 Item no. 965223401
 PRICE 5.400:- (4.320:- ex. moms)

BRILLIANT S SELFSTART

Cutting width 45 cm. Cutting height 20-70 mm.
 Engine Briggs & Stratton Quantum T&M 190 cm³. Weight 39 kg.
 Item no. 965223201

COBRA S

One of Klippo's absolute top models. The Cobra S comes complete with a Combi System (a highly effective collector), and thanks to a new addition can easily be transformed into a mulcher.

Aerodynamic channels with extra large aperture for the grass discharge gives extremely effective collection. The collector has a volume of 65 litres to minimize the need for emptying. The chassis and wheel base are optimized for front-wheel drive and the smoothest possible manoeuvring. The handle also has a quick-action device when you need to fold it forward for storing etc.

- *COLLECTION GIVES A NEAT AND TIDY LAWN*
- *SIMPLE OPERATION VIA FRONT WHEEL DRIVE SYSTEM*
- *LARGE COLLECTOR VOLUME MEANS FEWER EMPTYINGS*
- *CAN EASILY BE SWITCHED TO MULCHER*

Cutting width 48 cm. Cutting height 25-55 mm.
 Engine Briggs & Stratton Quantum 190 cm³. Weight 43 kg.
 Item no. 965225701





Klippo Cylinder Mowers

Cylinder mowers give the best mowing result as each blade of grass is cut individually. We can offer both hand operated and motorised models.

ENGINE

Both Lawnmaster and Lawnmaster Golf have powerful overhead-valve engines from Briggs & Stratton.

CUTTING HEIGHT

The height of the roller can easily be set so that the grass can be cut to the desired length.

SUPPORT ROLLER

Our cylinder lawnmowers are built according to the old British concept, with a large roller behind the blade cylinder and a smaller support roller in front.





LAWNMASTER GOLF

CHASSI

The cylinder lawnmowers have a rigid chassis of 3 mm powder-lacquered plate. The weight and large roller means you can give the lawn that classic "striped" look.

BLADE CYLINDER

Separately driven blade cylinder for perfect cutting results with 6 (Lawnmaster) respectively 10 (Lawnmaster Golf) blades.

RAKE

Lawnmaster Golf is equipped with a rake in front of the cylinder, which lifts the grass so each blade of grass is cut.



FREE

FREE

A new hand push mower of the so-called non-friction type. It works silently and thanks to the non-friction five-blade cylinder it is extremely easy to push forward. The cutting height can easily be set to four different levels. The wide wheels roll easily and the rigid frame makes cutting possible with one wheel on a path or border. The soft and comfy handle makes the mower comfortable to use. Grass collector available as an option.

Cutting width 40 cm.

Cutting height 12-38 mm.

Weight 9,1 kg. Item no. 964934051

Collectors Item no. 964901030

■ ENVIRONMENTALLY FRIENDLY

– NO EMISSIONS

■ LOW NOISE LEVEL

■ BEST CUTTING RESULT
WITH CYLINDER BLADE

■ EASY AND SMOOTH TO OPERATE

■ KLIPPO QUALITY IN A COMPACT FORMAT



- COLLECTION GIVES A NEAT AND TIDY LAWN
- OPTIMAL CUTTING RESULT
- PRODUCES ELEGANT "WEMBLEY STRIPES"
- TIME SAVING THANKS TO LARGE CUTTING WIDTH

LAWNMASTER



LAWNMASTER

A stable chassis of 3 mm powder-sprayed steel. The weight and the large roller give the lawn the classic look with stripes. The collector made of composite material is standard. The machine can also be used without a collector. The engine is an overhead valve model from the wellknown Briggs & Stratton. Makes 104 cuts/meter.

Cutting width 50 cm. Cutting height 7-30 mm.

Engine Briggs & Stratton Vanguard OHV.

Weight 66 kg. Item no. 966819701

LAWNMASTER GOLF

Klippo Lawnmaster is now available in a golf design. It is equipped with a 10-blade cylinder and a rake in front of the cylinder, which lifts the grass so each blade of grass is cut. Makes 174 cuts/meter.

Cutting width 50 cm.

Cutting height 2-30 mm.

Engine Briggs & Stratton Vanguard OHV.

Weight 68 kg.

Item no. 966819801



LAWNMASTER

LAWNMASTER GOLF



There are also professionals
in the lawnmower industry.
And their demands are
not to be taken lightly.

As the most purchased and used lawnmower in the lawn and park profession, Klippo offer professional, powerful models with durable engines and non vibrating handles that reach even the most stringent noise level and emission requirements.

We consider it a great advantage to have experience of the tough professional market, experience that we can then pass on to all our Klippo machines.



KlippoPro

Cutting grass for a living requires machines that can work everyday without fail.

They must also be ergonomically designed to be sympathetic to the user. The handles are covered in a soft rubber material that increases comfort. And the emergency brake is designed to always feel stable and comfortable in the hands of the user.

POWERFUL ENGINE

All professional models are equipped with extra durable and powerful engines.

SILENCER


As Klippo has so many professional users extra importance is placed on good silencing for a good working environment.

FRONT WHEEL DRIVE

Klippo's professional machines are available with or without self-propulsion. The practical and easy-to-handle front wheel drive system receives its power via Klippo's unique transmission.

GALVANISED SIDE GUARDS

All of our Pro lawnmowers (except Pro 17) have side guards, which sit at a set distance from the ground regardless of cutting height, for increased safety.





VIBRATION DAMPING

Our professional models are all equipped with non-vibrating handles to prevent vibration injuries in the arms and joints of those who mow often and for long periods of time.

REINFORCED COMPONENTS

Those components that are most exposed to wear are reinforced to cope with harsh stresses during professional grass care.

TWO HOODS IN ONE

The single-cast aluminium hood has a detachable insert that gives you "two mowers in one". Not having an insert means that you can cut tall, thick grass effectively without stopping. Does not apply to Pro 17.



PRO 17 GCV



- MULCHER SYSTEM FOR EFFECTIVE LAWN CARE
- ECO-LABELLED WITH THE SWAN*
- CAN TACKLE CUTTING OF EXTREMELY TALL GRASS.**
- FUEL-EFFICIENT AND QUIET
- NON-VIBRATING HANDLE

* DOES NOT APPLY TO PRO 21 S

** DOES NOT APPLY TO PRO 17

PRO 19 GCV



PRO 17 GCV

In answer to the wishes of many professional users, a small, light and silent professional mower. So small, flexible and comfortable that it can often take the place of the trimmer, but is much more pleasant to work with. Eco-labelled with the Swan (in accordance with class C1).

Cutting width 42 cm.
Cutting height 25-50 mm.
Engine Honda GCV 135 cm³.
Weight 27 kg.
Item no. 965230101

- EASY AND SMOOTH TO OPERATE.
- FUEL-EFFICIENT AND QUIET

PRO 19 GCV

Equipped for long shifts over many years – vibration free handle, galvanised side guard, reinforced components and powerful Honda engine – perhaps the quietest and cleanest machine in its class. The mulcher insert is included, but is not installed on this machine as it is often used for areas that are mown less frequently. Eco-labelled with the Swan (in accordance with class C1).

Cutting width 48 cm.
Cutting height 30-60 mm.
Engine Honda GCV 135 cm³.
Weight 31 kg.
Item no. 965229001

- FUEL-EFFICIENT AND QUIET



PRO 19 S



PRO 21 S



PRO 21 S GCV



PRO 19 S

As Pro 19 GCV, but with a reliable overhead-valve engine from Briggs & Stratton. It also features our unique front wheel drive. This is well-known for its reliability, durability and comfortable speed. Eco-labelled with the Swan (in accordance with class A).

Cutting width 48 cm.
Cutting height 30-60 mm.
Engine Briggs & Stratton DOV Ready Start 160 cm³. Weight 34 kg.
Item no. 965229301

- SIMPLE OPERATION VIA FRONT WHEEL DRIVE

PRO 21 S

Self-propelled lawn mower for all types of work areas. Front wheel drive helps manoeuvrability. Professional handle with anti-vibration system improves ergonomics. The advanced, fuel saving overhead valve engine with double air filters and cast iron linings gives high performance.

Cutting width 53 cm. Cutting height 30-60 mm.
Engine Briggs & Stratton Intek Edge 190 cm³.
Weight 38 kg. Item no. 965230801

- SIMPLE OPERATION VIA FRONT WHEEL DRIVE
- TIME SAVING THANKS TO LARGE CUTTING WIDTH.

PRO 21 S GCV

Same machine as PRO 21 S, yet with a Honda engine. Perhaps the quietest and cleanest machine of its size available on the market. Overhead valves and camshaft form a part of the secret behind it. Eco-labelled with the Swan (in accordance with class C1).

Cutting width 53 cm.
Cutting height 30-60 mm.
Engine Honda GCV 160 cm³.
Weight 36 kg. Item no. 965230901

- SIMPLE OPERATION VIA FRONT WHEEL DRIVE
- TIME SAVING THANKS TO LARGE CUTTING WIDTH



PRO COBRA S

The professional version of Klippo's large collector mower. The aerodynamic ducts with extra large opening for grass ejection create extremely effective collection. Even when you choose not to use the collector, Pro Cobra S cuts extremely effectively. Like all Klippo's professional machines, the handle is vibration damped at four points and the components most exposed to wear are fully galvanised.

- *COLLECTION GIVES A NEAT AND TIDY LAWN*
- *SIMPLE OPERATION VIA FRONT WHEEL DRIVE SYSTEM*
- *LARGE COLLECTOR VOLUME MEANS FEWER EMPTYINGS*
- *CAN EASILY BE SWITCHED TO MULCHER*
- *NON-VIBRATING HANDLE*

Cutting width 48 cm. Cutting height 25–55 mm.
Engine Briggs & Stratton Intek Edge 190 cm³.
Weight 47 kg. Item no. 965231101

PRO COBRA S





Worry-free.

We cannot better describe Klippo's other ranges.

There is more to do in the garden than just mow the lawn. That is why we also offer scarifiers and cultivators of the same high quality.

Even though we do not manufacture these ourselves in our own factory, we require that our demands are met fully.

A machine that receives the Klippo name has a lot to live up to. It has to know what demands you will place on it year after year.

When all is said and done they are related to the "Eternal Machine".



Klippo Scarifier

The scarifier has swivel blades that penetrate the grass, air it and remove moss and dead plant parts more effectively than a rake.



SCARIFIER
S 400 B



SCARIFIER
S 400 E

SCARIFIER S 400 E

A high quality machine from the inside out, with a powerful 1600 W electric motor. If you prefer electric power, this scarifier is a reliable and quiet workhorse. Loose blades and adjustable work depth. Ergonomic handle with safety grip. Steel wheels with double ball-bearings.

Working width 40 cm.

Weight 43 kg.

Item no. 966819301

SCARIFIER S 400 B

Same basic concept as S 400 E complemented with a strong Briggs & Stratton engine. Loose blades and adjustable work depth. Ergonomic handle with safety grip. Steel wheels with double ball-bearings.

Working width 40 cm.

Weight 45 kg.

Item no. 966819201

KlippoCultivator

Our cultivators dig deeply and thoroughly, even in heavy soil. The earth is converted to planting-friendly top soil by breaking up and mixing in fertiliser and manure.



CULTIVATOR
ES 03 B

CULTIVATOR ES 03 B

Robust, reliable cultivator which can do its job. Easy-to-start Briggs & Stratton engine. Adjustable working depth. Adjustable control handles with OPC.

Working width 40 cm.
Weight 30 kg.
Item no. 966819401



CULTIVATOR
PS 045 H

CULTIVATOR PS 045 H

A machine with very high working capacity. Low noise but strong Honda engine, and reverse gear. Adjustable working depth. Plant protector plates standard.

Adjustable control handles with OPC. The handles are easily folded for transport.

Working width 50 cm.
Weight 34 kg. Item no. 966819501

ACCESSORIES

Earthing plough Item no. 966824401
Iron wheels Item no. 966824501

A Klippo wants to be a Klippo its entire life.


Every component in a Klippo is carefully designed and produced so that all parts work in unison for many years. When something does need replacing, however, ensure that you get a KLIPPO ORIGINAL.

All Klippo components have small features that perhaps cannot be seen from the outside but can make huge differences after a period of use.

Also remember that the warranties are only applicable if you use Klippo Original components. Tip: Replace blades every other year for the best possible cutting result.

Quality right down to the smallest detail. The engine's crankshaft is protected by friction disks. These reduce the risk of the engine being damaged if the mower happens to run into something.





KlippoOriginal Components

A Klippo wants to be a Klippo its entire life.
Service it with original components.

UPPER BLADES FOR BLADE PATE

Easy-to-replace upper blades
for blade plate.

Item no. 503097301



CUTTER TONGUES FOR BLADE PATE

Easy-to-replace cutter ton-
gues for blade plate.

Item no. 502998601



CROSS-CUT BLADE ▲

A new type of Mulcher blade that shreds
the cuttings using four cutting edges.

48 cm/19". Item no. 502968901

53 cm/21". Item no. 502969101



HUBCAP SET

Set of four hubcaps.

Item no. 502943101



COLLECTOR AND SIDE DISCHARGE BLADE ▲

Specially-designed for Klippo's collector and side discharge machines.
The aerodynamic "wings" mean that the cuttings are thrown in a parti-
cular direction (towards the collector or out to the side).

45 cm/18" Item no. 503105501 (Brilliant)

48 cm/19" Item no. 502968501 (Merit, G8, Compact,

Pro S Collect, Pro 4 SD, Pro Cobra S, Excellent S SD)

48 cm/19" Item no. 502990901 (Cobra)



BLADE PATE

The blade system consists of a plate with
six moving blades that cut the grass at dif-
ferent levels. Each blade of grass is finely
shredded and spread into the lawn.

48 cm/19" Item no. 502970701

53 cm/21" Item no. 502970901



COMBI BLADE ▲

A robust and extremely durable blade for tough work
surfaces. The Combi blade is suitable for those who do
not cut the grass frequently

48 cm/19" Item no. 502967601

53 cm/21" Item no. 502968601



MULCHER BLADE ▲

Effective blade with several cutting levels to shred the
grass. An alternative to the blade plate.

42 cm/17" Item no. 502987101 (only Energy).

42 cm/17" Item no. 502975701

48 cm/19" Item no. 502978001

53 cm/21" Item no. 502980001



SAFETY BLADE ▲

Especially designed for work surfaces with stones,
borders, roots etc. When the safety blade comes into
contact with a hard object, it immediately folds together
to avoid the risk of damaging the engine. If activated,
the safety blade can be reset to its original position

48 cm/19" Item no. 502968101

53 cm/21" Item no. 502968201

SPEED REDUCTION KIT

Reduces the speed by approximately 15-20%. Item no. 502939701, suitable for our collector machines Compact, Pro S collect, Cobra, Pro Cobra S, Pro 19 S, Next and Excellent S. Item no. 502939801, suitable for our mulcher machines Comet, Pro S, Pro S HD, and Pro 21.



BLADE BOLT WITH SPRING WASHER

Our most common blade bolt Item no. 502943201 is suitable for both blade attachment Item no. 502943501 and 02943601. Item no. 02943601 is only suitable for Brilliant. Item no. 503272701, blade bolt which is standard on Next and Excellent II with the deep hood as well as Cobra. Form 2007 this blade bolt is also found on Comet II with DOV engines.



OIL SUCTION PUMP

Effectively draws up the old oil to prevent spillage when changing oil. Also useful when unclogging drains or filling batteries with acid. Item no. 502939501



BLADE ATTACHMENT WITH FIBRE WASHER AND WEDGE

Blade attachment for 22 mm engine shaft, Item no. 5029436 01 and 502943901 (standard on Excellent II). Blade attachment for 25 mm engine shaft, Item no. 502943501 and 502944001 (standard on Next and Excellent II with deep hood as well as Cobra).



SPARK PLUG

Standard spark plug for the Sprint, Quattro and Quantum engines, Item no. 5029433 01. Standard spark plug for Intek Edge and DOV, Item no. 502944301. Standard spark plug for Honda GCV 135/160 Item no. 502944401



SPARK PLUG WRENCH

Standard spark plug wrench, Item no. 502943401 which is suitable for use with spark plug item no. 5029433 01 as well as 502944401. Spark plug wrench for Intek Edge and DOV, Item no. 502944501



KLIppo OIL SAE 30

Special oil for Klippo's lawnmowers, which keeps the engine in check and increases service-life. Change the oil at least every season. Item no. 502873501



SERVICE PACK 502975601

For lawnmowers with Quantum engines and blade plate.

The pack contains 1 x oil Item no. 502873501
1 x spark plug Item no. 502943301
4 x cutter tongues Item no. 502997701



DRIVE BELTS

Drive belts for our lawnmowers are available as original accessories. The packs state which drive belts are suitable for which machines. See relevant item no. below.

- Item no. 502946101 Drive belt for Comet up to and including 2006 model year.
- Item no. 502945501 Drive belt for 21" self-propelled.
- Item no. 502945201 Drive belt for Compact, Excellent, Cobra and new Comet.
- Item no. 502946201 Drive belt for Brilliant.
- Item no. 502946301 Drive belt for speed reduction kit, Collect.
- Item no. 502946101 Drive belt for speed reduction kit, Collect up to and including 2006 model year.
- Item no. 502945401 Intermediate drive belt for Comet 2007.
- Item no. 502945301 Intermediate drive belt 2 for Excellent.

Klippo Technical Data

LAWNMOWERS

<i>Item no.</i>	<i>Mulchers</i>	<i>Cutting system</i>	<i>Collectors</i>	<i>Cutting width</i>	<i>Cutting height</i>
965229701	ENERGY	Mulcher blade	No	42 cm	25-50 mm
965229601	TRIUMPH	Mulcher blade	No	42 cm	25-50 mm
965223901	CHAMPION	Mulcher blade	No	48 cm	30-60 mm
965227601	EXCELLENT	Cross-cut blade	No	48 cm	30-60 mm
965227701	EXCELLENT GCV	Cross-cut blade	No	48 cm	30-60 mm
965227801	EXCELLENT S	Cross-cut blade	No	48 cm	30-60 mm
965227901	EXCELLENT S GCV	Cross-cut blade	No	48 cm	30-60 mm
965224901	COMET S	Cross-cut blade	No	53 cm	30-60 mm
965224701	COMET S GCV	Cross-cut blade	No	53 cm	30-60 mm
965225001	COMET S ELSTART	Cross-cut blade	No	53 cm	30-60 mm

<i>Item no.</i>	<i>Mulchers with collector</i>	<i>Cutting system</i>	<i>Collectors</i>	<i>Cutting width</i>	<i>Cutting height</i>
965223401	BRILLIANT S	Collectors	62 l	45 cm	20-70 mm
965223201	BRILLIANT S SELFSTART	Collectors	62 l	45 cm	20-70 mm
965225701	COBRA S	Collectors	65 l	48 cm	25-55 mm

<i>Item no.</i>	<i>Cylinder mowers</i>	<i>Cutting system</i>	<i>Collectors</i>	<i>Cutting width</i>	<i>Cutting height</i>
964934051	FREE	Cylinder	Accessories	40 cm	12-38 mm
966819701	LAWNMASTER	Cylinder with Collectors	Yes	50 cm	7-30 mm
966819801	LAWNMASTER GOLF	Cylinder with Collectors	Yes	50 cm	2-30 mm

<i>Item no.</i>	<i>Professional mulchers</i>	<i>Cutting system</i>	<i>Collectors</i>	<i>Cutting width</i>	<i>Cutting height</i>
965230101	PRO 17 GCV	Mulcher blade	No	42 cm	25-50 mm
965229001	PRO 19 GCV	Mulcher blade	No	48 cm	30-60 mm
965229301	PRO 19 S	Mulcher blade	No	48 cm	30-60 mm
965230801	PRO 21 S	Mulcher blade	No	53 cm	30-60 mm
965230901	PRO 21 S GCV	Mulcher blade	No	53 cm	30-60 mm

<i>Item no.</i>	<i>Professional Collectors</i>	<i>Cutting system</i>	<i>Collectors</i>	<i>Cutting width</i>	<i>Cutting height</i>
965231101	PRO COBRA S	Collectors/mulcher	65 l	48 cm	25-55 mm

<i>Engine</i>	<i>Self-propelling</i>	<i>Accessories</i>	<i>Weight</i>	<i>Noise level db(a) *</i>	<i>Page</i>
Electric 240 V / 1,3 kW	No		22 kg	83 dB(A)	14
Briggs & Stratton Sprint XT	No		25 kg	92 dB(A)	14
Briggs & Stratton Quantum XLS	No	Catalytic converter	29 kg	92 dB(A)	17
Briggs & Stratton Quantum XRQ Ready Start	No	Catalytic converter	30 kg	92 dB(A)	19
Honda GCV 135	No		28 kg	89 dB(A)	19
Briggs & Stratton Quantum XRQ Ready Start	Yes, front wheel drive	Catalytic converter	32 kg	92 dB(A)	19
Honda GCV 135	Yes, front wheel drive		32 kg	89 dB(A)	19
Briggs & Stratton DOV Ready Start	Yes, front wheel drive		34 kg	91 dB(A)	20
Honda GCV 160	Yes, front wheel drive		33 kg	91 dB(A)	20
Briggs & Stratton DOV el	Yes, front wheel drive		37 kg	91 dB(A)	20

<i>Engine</i>	<i>Self-propelling</i>	<i>Accessories</i>	<i>Weight</i>	<i>Noise level db(a) *</i>	<i>Page</i>
Briggs & Stratton Quantum XLS	Yes, rear wheel drive	Catalytic converter	37 kg	95 dB(A)	25
Briggs & Stratton Quantum XLS T&M	Yes, rear wheel drive	Catalytic converter	39 kg	95 dB(A)	25
Briggs & Stratton Quantum XLS	Yes, front wheel drive	Catalytic converter	43 kg	95 dB(A)	25

<i>Engine</i>	<i>Self-propelling</i>	<i>Accessories</i>	<i>Weight</i>	<i>Noise level db(a) *</i>	<i>Page</i>
-	No	Collectors	9,1 kg		30
Briggs & Stratton Vanguard OHV	Yes		66 kg	88 dB(A)	30
Briggs & Stratton Vanguard OHV	Yes		68 kg	88 dB(A)	30

<i>Engine</i>	<i>Self-propelling</i>	<i>Accessories</i>	<i>Weight</i>	<i>Noise level db(a) *</i>	<i>Page</i>
Honda GCV 135	No		27 kg	89 dB(A)	36
Honda GCV 135	No		31 kg	89 dB(A)	36
Briggs & Stratton DOV Ready Start	Yes, front wheel drive		34 kg	91 dB(A)	37
Briggs & Stratton Intek Edge	Yes, front wheel drive		38 kg	94 dB(A)	37
Honda GCV 160	Yes, front wheel drive		36 kg	92 dB(A)	37

<i>Engine</i>	<i>Self-propelling</i>	<i>Accessories</i>	<i>Weight</i>	<i>Noise level db(a) *</i>	<i>Page</i>
Briggs & Stratton Intek Edge	Yes, front wheel drive		47 kg	95 dB(A)	39

*measured sound level

Klippo Technical Data

PARK&GARDEN

	CULTIVATOR ES03B	CULTIVATOR PS045H	SCARIFIER S 400 E	SCARIFIER S 400 B
Engine	Briggs & Stratton Sprint	Honda GCV 135	Elektrisk 230V/1,6 kW	Briggs & Stratton Sprint
Working width	40 cm	50 cm	40 cm	40 cm
Adjustable handle	Height	Height/side	-	-
Weight	30 kg	34 kg	43 kg	45 kg
Item no.	966819401	966819501	966819301	966819201
Accessories	Ridging plough, iron wheels	Ridging plough, iron wheels	-	-
Others	-	Reverse gear	Loose blades	Loose blades

KLIPPO GUARANTEE

We know that you will be satisfied with your Klippo. All our experience and all our satisfied customers since 1954 indicate that. We also give a 2-year guarantee on all machines and a 5-year guarantee on the aluminium decks of all our lawnmowers (for private use). Remember to keep your receipt. Good luck with your new Klippo!

Certain products in this catalogue might not be sold in all markets. Please contact your local dealer for more specific information. Klippo constantly improves its products and reserves the right to make technical changes.





THE PROFESSIONAL CHOICE



KLIPPO AB, KNIVGATAN 3-7, S-212 28 MALMÖ, SWEDEN. PHONE +46 40 680 75 00. FAX +46 40 680 75 51. E-MAIL KLIPPO@KLIPPO.SE
WWW.KLIPPO.COM