

The only lawnmower designed and manufactured in New Zealand



MANUFACTURED BY





# lawn Master

TRADITION

For almost 70 years LawnMaster has helped New Zealanders to create superior lawn finishes. Designed and manufactured in New Zealand by Steelfort, a leading New Zealand owned manufacturer and distributor of quality, high performance lawn and garden products, LawnMaster has been New Zealand's most trusted lawnmower since 1946.

Steelfort is committed to continuous research & development and our eye for innovation has ensured that LawnMaster lawn and garden products have repetitively stayed at the forefront of lawn care technology with each model packed with features that guarantee performance.

LawnMaster lawn and garden products represent New Zealand craftsmanship that you can trust for complete peace of mind.

Our products are engineered for superior performance and only high quality components are used to manufacture every LawnMaster lawn and garden product in our Palmerston North factory.



The only lawnmower designed and manufactured in New Zealand

Extensive Lawnmaster Warranties

4 year warrant







retain its strength and durability





o 480mm cut, Extra Strength Aluminium Chassis

- Briggs and Stratton 650XNP Series I/C Engine
- 190cc rating

push, designed for larger lawns

- Mow Zone
- Zone start
- Cutting disc with four swing back blades
- XP lower one piece handle
- 45 litre plastic catcher
- 30-80 minutes mowing time guide
- Mulch plug
















Mulch Plug-

The simple and

convenient way

to fertilise lawns




- O 460mm cut, Extra Strength Aluminium Chassis
- O Briggs and Stratton 450 Series OHV Engine
- 125cc rating
- Mow zone
- Cutting disc with swing back blades
- 45 litre plastic catcher
- O 15-40 minutes mowing time guide
- Mulch plug









Absolutely no effort required to start this engine designed to deliver picture-perfect finish to every lawn

- o 460mm cut, Extra Strength Aluminium Chassis
- o Briggs and Stratton 675 XNP Series engine
- 190cc rating
- Mow Zone
- Cutting disc with swing back blades
- o XP lower one piece handle
- 45 litre plastic catcher
- O 30-60 minutes mowing time guide
- Mulch plug












Designed for medium sized domestic lawns that require extra power and versatility



- Briggs and Stratton 650XNP Series I/C Engine
- 190cc rating
- Mow Zone
- Zone start
- Cutting disc with swing back bladesXP lower one piece handle
- 45 litre plastic catcher
- o 30-80 minutes mowing time guide
- Mulch plug









#### Self-Propelled \_

Effortless mowing with no pushing required, designed for larger lawns

- 460mm cut, Extra Strength Aluminium Chassis
   Briggs and Stratton 650XNP I/C Engine
   190cc rating
   Self-Propelled drive

- Mow Zone

- Mow Zone
  Zone start
  Cutting disc with swing back blades
  XP lower one piece handle
  45 litre plastic catcher
  30-80 minutes mowing time guide
  Mulch plug









Cutting disc with swing back blades

Powerful OHV commercial engine is designed for

o 190cc rating Zone start Mow zone

large sections, designed to deliver effortless mowing

o 530mm cut, Extra Strength Aluminium Chassis O Briggs and Stratton 850 OHV I/C Engine

WideCut \_\_

Designed for those big lawns with the extra

wide cut and powerful commercial engine

O Kohler Courage XT8 OHV engine

Cutting disc with swing back blades

O 30-120 minutes mowing time guide

• 173cc rating

55 litre fabric catcher


Zone start O Mow zone

Mulch plug

O 530mm cut, extra strength aluminum chassis

4 year Lifetime

WideCut 850 —



The superb self-propelled drive system with the heavyduty 3-speed gearbox makes looking after big lawns easy

- 530mm cut, extra strength aluminum chassisKohler Courage XT8 OHV engine

- 173cc rating
  Self propelled drive
  3 speed 3.8 6.8kph
  Zone start
  Mow zone

- Cutting disc with swing back blades 55 litre fabric catcher 30-120 minutes mowing time guide Mulch plug







Mow Zone-

Cuts beyond the line of the wheels

(Mow Zone Models)

for neat edger



#### WideCut Self Propelled 850 —

Powerful OHV commercial engine combined with a 3 speed gearbox provides effortless mowing of large lawns

- 530mm cut, Extra Strength Aluminium Chassis
  Briggs and Stratton 850 OHV I/C Engine
  190cc rating
  Self-Propelled drive
  3 speed 3.8 6.8kph
  Zone start
  Mow zone
  Cutting disc with swing back blades
  55 litre fabric catcher
  30-120 minutes mowing time guide
  Mulch plug









530 Series



┌─ Split Rear Roller

The most suitable engines have been carefully selected

finish

**⊢** Engine

Creates the classic striped

#### **─** Wooden Front Roller\*

(400, 500 and 660 models)

#### ─ Height Adjustable Handle

Variable handle position to suit operators height

#### Cutting Cylinder

Standard 6 blade cutting cylinder, or with commercial, the choice of 6 or 10 blade cylinders

#### ─ Cutting Cylinder Adjustment


Simple one action adjustment on both sides of the cutting cylinder

#### ┌─ Base Cutting Blade

Made of quality British Sheffield steel ensuring a razor cut finish

\*Features change depending on model

# Handle \_ Designed for the operator to manoeuvre with ease and comfort Throttle Control ¬ Set the speed of the mower to suit individual walking requirements Cam Lock Lever ¬ Easy release lever to fold the handle down for easy storage



The 'Dual Drive Advantage' gives the operator the exclusive LawnMaster feature of being able to operate the back roller and cutting cylinder independently

#### Chassis ¬

Fabricated and welded powder coated steel ensures a rigid frame giving accurate cutting and long life

#### Front Roller Adjustment —

Provides accurate height adjustment for precision settings

#### Front Roller\*

Front Roller made of durable steel (500 Golf and 660S models)



Drive

Reel

Mowers

to deliver stylish striped finish

- 127cc rating
- o 7-30mm cut height
- Wooden front roller
- o 6 blade reel
- o 32 litre high-density plastic catcher
- Weight 55kg






#### 500 Reel .

Ideal for precision grooming of larger lawns leaving a classic striped finish

- o 500mm cut, 2mm steel chassis
- O Briggs and Stratton 3.5 HP engine
- 127cc rating
- O 7-30mm cut height
- Wooden front roller
- o 6 blade reel
- 40 litre high-density plastic catcher
- Weight 60kg





Perfect for those larger lawns on lifestyle farmlets, country home and larger urban sections

- o 660mm cut, 3mm steel chassis
- O Honda 4HP GXV120 OHV engine
- 118cc rating
- O 7-30mm cut height
- Wooden front roller
- 6 blade reel
- 55 litre galvanised steel catcher
- Weight 70kg



2 year

#### **500 Golf Reel**

Designed for mowing of golf greens (fine sport turf) with a shaver blade for the finest picture-perfect cutting

- o 500mm cut, 2mm steel chassis
- O Honda 4HP GXV120 OHV engine
- 118cc rating
- O 2-30mm cut height
- Steel front roller
- 10 blade reel
- Turf Rake
- 40 litre high-density plastic catcher
- Weight 64kg



2 Jean Master year



#### 660S Reel \_\_

**Dual Drive Reel Mowers** 

Ideal for precision grooming of lawns in lifestyle farmlets, country home and larger urban sections

- o 660mm cut, 2mm steel chassis
- O Honda 4HP GXV120 OHV engine
- 118cc rating
- 4-30mm cut height
- Steel front roller
- o 10 blade reel
- Turf Rake
- 55 litre galvanised steel catcher
- Weight 74kg







# **Specifications Table**

## **Rotary Mowers**

Model	Engine	Cut Width	Chassis	Blades	Mow Zone	Zone Start	Catcher Type	Catcher Capacity	Mulch	Wheels	Mowing Time	Handle	Warranty
480 Series													
Eco Suburban	B&S 500E 140cc	480mm	Aluminium	4 Swing Back	Yes	No	Plastic	45 Litre	Yes	8" Dual Ball bearing	15-40 mins	Standard	4 year LawnMaster Lifetime Chassis
Eco Executive	B&S 650 XNP I/C 190cc	480mm	Aluminium	4 Swing Back	Yes	Yes	Plastic	45 Litre	Yes	8" Dual Ball bearing	30-80 mins	XP	4 year LawnMaster Lifetime Chassis
Eco Key Start	B&S 675 190cc	480mm	Aluminium	4 Swing Back	Yes	No	Plastic	45 Litre	Yes	8" Dual Ball bearing	30-60 mins	XP	4 year LawnMaster Lifetime Chassis
Eco Self-Propelled	B&S 650 XNP I/C 190cc	480mm	Aluminium	4 Swing Back	Yes	Yes	Plastic	45 Litre	Yes	8" Dual Ball bearing	30-80 mins	XP	4 year LawnMaster Lifetime Chassis
460 Series													
Metro	B&S 450 125cc	480mm	Aluminium	2 Swing Back	Yes	No	Plastic	45 Litre	Yes	8" Dual Ball bearing	15-40 mins	Standard	4 year LawnMaster Lifetime Chassis
FineCut	B&S 650 XNP I/C 190cc	460mm	Aluminium	2 Swing Back	Yes	Yes	Plastic	45 Litre	Yes	8" Dual Ball bearing	30-80 mins	XP	4 year LawnMaster Lifetime Chassis
Key Start	B&S 675 XNP 190cc	460mm	Aluminium	2 Swing Back	Yes	No	Plastic	45 Litre	Yes	8" Dual Ball bearing	30-60 mins	XP	4 year LawnMaster Lifetime Chassis
Self-Propelled	B&S 650 XNP I/C 190cc	460mm	Aluminium	2 Swing Back	Yes	Yes	Plastic	45 Litre	Yes	8" Dual Ball bearing	30-80 mins	XP	4 year LawnMaster Lifetime Chassis
530 Series													
WideCut	Kohler XT8 OHV 173cc	530mm	Aluminium	2 Swing Back	Yes	Yes	Fabric	55 Litre	Yes	8" Dual Ball bearing	30-120 mins	XP	4 year LawnMaster Lifetime Chassis
WideCut SP	Kohler XT8 OHV 173cc	530mm	Aluminium	2 Swing Back	Yes	Yes	Fabric	55 Litre	Yes	8" Dual Ball bearing	30-120 mins	XP	4 year LawnMaster Lifetime Chassis
WideCut 850	B&S 850 OHV I/C 190cc	530mm	Aluminium	2 Swing Back	Yes	Yes	Fabric	55 Litre	Yes	8" Dual Ball bearing	30-120 mins	XP	4 year LawnMaster Lifetime Chassis
WideCut SP 850	B&S 850 OHV I/C 190cc	530mm	Aluminium	2 Swing Back	Yes	Yes	Fabric	55 Litre	Yes	8" Dual Ball bearing	30-120 mins	XP	4 year LawnMaster Lifetime Chassis

### Dual Drive Reel Mowers

Model	Engine	Cut Width	Chassis	Reel Blade	Type of Roller	Zone Start	Catcher Type	Catcher Capacity	Turf Rake	Cut Height	Throttle Control	Handle	Warranty
400 Reel	B&S 3.5HP 127cc	400mm	2mm Steel	6 Blade Reel	Wooden	No	High density Plastic	32 litre	No	7-30 mm	Yes	Twin Drive	2 year domestic
500 Reel	B&S 3.5HP 127cc	500mm	2mm Steel	6 Blade Reel	Wooden	No	High-density Plastic	40 litre	No	7-30 mm	Yes	Twin Drive	2 year domestic
660 Reel	Honda GX120 4.0HP 118cc	660mm	3mm Steel	6 Blade Reel	Wooden	No	Galvanised Steel	55 litre	No	7-30 mm	Yes	Twin Drive	2 year domestic
500 Golf Reel	Honda GX120 4.0HP 118cc	500mm	2mm Steel	10 Blade Reel	Steel	No	High-density Plastic	40 litre	Yes	2-30 mm	Yes	Twin Drive	2 year domestic
660S Reel	Honda GX120 4.0HP 118cc	660mm	3mm Steel	10 Blade Reel	Steel	No	Galvanised Steel	55 litre	Yes	4-30 mm	Yes	Twin Drive	2 year domestic

## Eco Garden Care Range

Model	Engine	Power	Drive	Chipping Capacity	Cutting Depth	Blade	Height Adjustment	Bevel Adjustment	Tilt Adjustment	Weight	Warranty
Edger	B&S Vanguard	2.4 HP	Single	NA	70mm	Quad edged 230mm cutting blade	7 setting	5 setting	5 setting	32kgs	2 year domestic
Eco Chipper 45	Honda GX160 160cc	4.8 HP	Single	45mm	NA	2 Double sided blades	NA	NA	NA	67kgs	2 year domestic
Eco Chipper 75	Kohler Pro7 208cc	7.0HP	Twin	75mm	NA	2 Double sided blades	NA	NA	NA	107kgs	2 year domestic

# <u>lawnMaster</u>



**Manufactured By** 



500 Rangitikei Street, Palmerston North. Private Bag 11045, Palmerston North 4442, New Zealand Phone 0064 6 350 1350 Fax 0064 6 356 1507 www.steelfort.co.nz lawnmaster@steelfort.co.nz



f Like us on Facebook