

# KLIPPO 07

PARK AND GARDEN RANGE


**NEW COMET  
NEW ENGINES  
NEW TRANSMISSION**



**KLIPPO**

THE PROFESSIONAL CHOICE





The aluminium cutting decks are spray painted with an extra durable paint which keeps the lawnmowers as good as new for many years.



All Klippo lawnmowers have undergone our rigorous quality control and we demand the same quality from our suppliers.

# A Klippo knows what's needed.



The Klippo cutting decks are made of aluminium and are casted in one piece and they never corrode.

We have been building the Klippo lawnmowers in the same factory in Malmö, Sweden for more than 50 years.

Each machine is handmade by one technician personally, making every Klippo a result of genuine Swedish craftsmanship.

In this catalogue we present our wide range of lawnmowers that Klippo supplies.

All have undergone our rigorous quality control, because no machine will ever be called Klippo if it doesn't measure up to our demanding standards.

The quality of Klippo is highly recognized by professional gardeners and park-workers. Even the Royal Swedish family use our lawnmowers for their parks and gardens. Something we naturally are very proud of.



Each machine is handmade by one technician personally to ensure the Klippo quality.

# Have you chosen A few basic rules

# the right mower? to remember.

## MULCHER

The grass is finely shredded and spread into the lawn.

The cuttings then become fertilizer for the lawn.

You should mow quite frequently in order for the cuttings to incorporate completely into the lawn.

Read more on pages 6-13



## COLLECTOR

The lawn is mown and the cuttings are collected in a bagger, which is emptied, on the compost heap.

For lawns that you wish to keep free from cuttings and leaves.

Klippo Cobra can also be used as a mulcher.

Read more on pages 14-15



## CYLINDER MOWER

The grass is finely cut and usually gathered in a collector.

For the perfect lawn that is mown frequently and is kept free e.g. of stones and cones.

The lawn is mown short and frequently, and becomes an elegant, striped classical lawn.

Read more on pages 16-17



## KLIPPO MULCHER

Klippo has a wide range of mulchers, based on up-to-date experience of how grass, blade and deck interact optimally during mowing.



## ENERGY

Energy is the electric mower for those who don't want to compromise on quality in any form, whether cutting results or technology. It is stable and easy to manoeuvre, and totally built with the environment in mind. Mostly made of recycled material and more than 90% can be recycled again.

Cable connection, 240 V.  
Cutting width 42 cm. Cutting height 25-50 mm.  
Electric Engine 240 V/1300 Watt. Weight 22 kg.  
Art. no. 560 302

- **ELECTRICALLY POWERED PUSH & GO!**
- **MULCHER SYSTEM FOR ALL-ROUND USE.**
- **ENVIRONMENTALLY COMPLIANT AND RECYCLABLE.**
- **LIGHTWEIGHT, SUPPLE AND QUIET.**

## TRIUMPH

Our smallest petrol-driven machine, yet it comes with all the classical Klippo details: one-piece aluminium chassis, steel wheels with double-sealed ball bearings and ergonomic handle adjustable both vertically and laterally to make all work situations easier.

Cutting width 42 cm. Cutting height 25-50 mm.  
Engine Briggs & Stratton Sprint XT 158 cc/4,0 hp.  
Weight 24 kg. Art. no. 560 300

- **PUSH & GO!**
- **MULCHER SYSTEM FOR ALL-ROUND USE.**
- **SUPPLE, EASILY DRIVEN AND SIMPLE.**



## CHAMPION

New this year, new deck with mulcher insert and new powerful engine. An all round mower for those with a small or medium size lawn. Very easy to drive on account of the perfect balance and low weight. Equipped with mulcher cutting system to satisfy varying mowing requirements. A true workhorse featuring all the classic Klippo details.

Cutting width 48 cm. Cutting height 30-60 cm.  
Engine Briggs & Stratton Quantum 190 cc/5,0 hp.  
Weight 26 kg. Art. No. 560 304

- **PUSH & GO!**
- **MULCHER SYSTEM FOR ALL-ROUND USE.**
- **EASILY DRIVEN AND WELL-BALANCED.**
- **HIGH CUTTING CAPACITY.**



## KLIPPO MULCHER

- PUSH & GO
- AMAZING MOWING RESULT
- REMOVABLE MULCHER INSERT
- NEW MORE EFFICIENT MULCHER BLADE, CROSS-CUT
- NEW COMFORTABLE TOP HANDLE
- VERY EASY TO START

## EXCELLENT

New this year, Ready Start engine for even easier starting. One of our absolute best sellers producing an unequalled mowing result. The complete Excellent range is equipped with Klippo's fully cast aluminium deck, which is unique. The deck features a removable insert to make the mower a totally all round machine. If the grass is tall or thick, it will be easier to mow when this insert is removed.

Cutting width 48 cm. Cutting height 30-60 mm.  
Engine Briggs & Stratton Quantum Ready Start  
190 cc/6,0 hp.  
Weight 30 kg. Art. No. 560 250



## EXCELLENT GCV

The same machine as the Excellent, but with a finer engine. Perhaps the quietest and cleanest machine of its size on the market. Overhead valves and overhead cam shaft are part of the secret. Ecolabelled with the Nordic swan in accordance with SIS environmental labelling standards, i.e. the toughest requirements for purified emissions, combined with durability.

Cutting width 48 cm. Cutting height 30-60 mm.  
Engine Honda GCV 135 cc/4,5 hp.  
Weight 28 kg. Art. No. 560 253

## EXCELLENT S

The same machine as the Excellent, but with our unique front wheel drive. This is well known for its reliability, durability and comfortable speed. Front-wheel drive makes the machine even easier to work with, especially if the terrain is slightly hilly or extensive.

Cutting width 48 cm. Cutting height 30-60 mm.  
Engine Briggs & Stratton Quantum  
Ready Start 190 cc/6,0 hp.  
Weight 31 kg. Art. No. 560 255



## EXCELLENT S GCV

Same machine as Excellent GCV – complemented with the unique front wheel drive. A perfect combination of the unique deck with the silent and clean Honda engine. At the time of printing this catalogue the machine was being tested for Swan Ecolabelling.

Cutting width 48 cm. Cutting height 30-60 mm.  
Engine Honda GCV 135 cc/4,5 hp.  
Weight 32 kg. Art. No. 560 259



## KLIPPO MULCHER

### COMET

New for this year A new version of a classic model, both technically and in design. The model has a new deck, new engine with new transmission. A Mulcher mower that mows slightly wider, which is ideal for those with a little larger lawn. All Comet mowers are self-propelled with durable front wheel drive. Your Comet can either be equipped with a Honda or Briggs & Stratton engine. Also available with electric start.

#### COMET S

Cutting width 53 cm. Cutting height 30-60 mm.  
Engine Briggs & Stratton DOV Ready Start 160 cc/6,0 hp. Weight 34 kg.  
Art. No. 560 163

#### COMET S GCV

Cutting width 53 cm. Cutting height 30-60 mm.  
Engine Honda GCV 160. 160 cc/5,5 hp. Weight 35 kg. Art. No. 560 161

#### COMET S ELECTRIC STARTER

Engine Briggs & Stratton DOV EI 160 cc/6,0 hp. Weight 35 kg. Art. No. 560 164

- UNBEATABLE MOWING RESULT
- REMOVABLE MULCHER INSERT
- MORE EFFICIENT MULCHER BLADE, CROSS-CUT
- COMFORTABLE TOP HANDLE
- POSSIBLE TO MOW VERY TALL GRASS



## KLIPPO MULCHER PRO

### PRO 17

In answer to the wishes of many professional users, a small, light and silent professional mower. So small, flexible and comfortable that it can often take the place of the trimmer, but is much more pleasant to work with. Ecolabelled with the Nordic swan in accordance with SIS environmental labelling standards.

Cutting width 42 cm. Cutting height 25-50 mm.  
Engine Honda GCV 135 cc/4,5 hp. Weight 26 kg.  
Art. No. 560 186

- *ECOLABELLED WITH THE NORDIC SWAN.*
- *LOW WEIGHT.*
- *MULCHER BLADE.*
- *ANTI-VIBRATION SYSTEM.*
- *LOW NOISE AND ECONOMICAL ON FUEL.*
- *PUSH & GO!*



THE HANDLES ON OUR PRO MOWERS ARE COVERED WITH SOFT MATERIAL FOR INCREASED COMFORT. THE SAFETY BAR IS MORE STABLE AND FURTHER DEVELOPED TO SIT BETTER IN THE HAND.

### PRO 19 GCV

Equipped for long shifts over many years – vibration free handle, galvanised side guard, reinforced components and powerful Honda engine – perhaps the quietest and cleanest machine in its class. The mulcher insert is included, but is not installed on this machine as it is often used for areas that are mown less frequently. Swan Ecolabelled according to SIS Ecolabelling requirements for professional lawn mowers.

Cutting width 48 cm. Cutting height 30-60 mm.  
Engine Honda GCV 135 cc/4,5 hp.  
Weight 30 kg. Art. No. 560 193

- *PUSH & GO!*
- *ECOLABELLED WITH THE NORDIC SWAN.*
- *ANTI-VIBRATION SYSTEM.*
- *MULCHER BLADE.*
- *LOW NOISE AND FUEL CONSUMPTION.*



### PRO 19 S

As PRO 19 GCV, but with a reliable overhead-valve engine from Briggs & Stratton. It also features our unique front wheel drive. This is well-known for its reliability, durability and comfortable speed. Front wheel drive makes the machine even easier to work with, especially if the lawn is bumpy or slightly large.

Cutting width 48 cm. Cutting height 30-60 mm.  
Engine Briggs & Stratton DOV Ready Start 160 cc/6,0 hp.  
Weight 35 kg. Art. No. 560 195

- *SELF-PROPELLING WITH FRONT-WHEEL DRIVE.*
- *NEW UNIQUE DECK.*
- *ANTI-VIBRATION SYSTEM.*
- *MULCHER BLADE.*
- *MULCHER INSERT INCLUDED.*



### PRO 21 S

A completely new version of Klippo's faithful servant. Self-propelled lawn mower for all types of work areas. Front wheel drive helps manoeuvrability. Professional handle with anti-vibration system improves ergonomics. The advanced, fuel saving overhead valve engine with double air filters and cast iron linings gives high performance in combination with low exhaust emissions and noise levels.

Cutting width 53 cm. Cutting height 30-60 mm.  
Engine Briggs & Stratton Intek Edge. 190 cc/6,0 hp.  
Weight 35 kg. Art. No. 560 200

- *ANTI-VIBRATION SYSTEM.*
- *MULCHER BLADE.*
- *SELF-PROPELLING WITH FRONT-WHEEL DRIVE.*



### PRO 21 S GCV

Same machine as PRO 21 S, yet with a Honda engine. Perhaps the quietest and cleanest machine of its size available on the market. Overhead valves and camshaft form a part of the secret behind it. Swan Ecolabelled according to SIS Ecolabelling requirements for professional lawn mowers.

Cutting width 53 cm. Cutting height 30-60 mm.  
Engine Honda GCV 160 160 cc/5,5 hp.  
Weight 36 kg. Art. No. 560 202

- *NEW UNIQUE DECK.*
- *ANTI-VIBRATION SYSTEM.*
- *MULCHER BLADE.*
- *MULCHER INSERT INCLUDED.*
- *PUSH & GO!*
- *ECOLABELLED WITH THE NORDIC SWAN.*



## KLIPPO COLLECTORS

Klippo collectors can hold large quantities of grass, making mowing more efficient since you do not need to empty the container so often.

### BRILLIANT S

A machine with rear-wheel drive to cope with undulating ground. The Brilliant is packed with features. For instance, you can have the handy SelfStart as an optional extra.

Yet even in its basic variant you get a lot of machine for your money. Large but easily manoeuvred machine with a 62 litre collector.

#### BRILLIANT S

Cutting width 45 cm. Cutting height 20-70 mm.  
Engine Briggs & Stratton Quantum 190 cc/5,0 hp.  
Weight 39 kg. Art. No. 560 307

#### BRILLIANT S SELFSTART

Cutting width 45 cm. Cutting height 20-70 mm.  
Engine Briggs & Stratton Quantum T&M  
190 cc/5,0 hp. Weight 39 kg. Art. No. 560 311

- SELF-PROPELLING WITH REAR-WHEEL DRIVE.
- 62 LITRE COLLECTOR.
- SELFSTART AS AN OPTIONAL EXTRA.



### COBRA S


One of Klippo's absolute top models, with a Combi system. Basically a highly efficient collector mower, and thanks to a new addition it can easily be transformed into a mulcher machine when you have gained control over the lawn.

Aerodynamic channels with extra large aperture for the grass discharge gives extremely effective collection. And the collector has a volume of 65 litres to minimize the need for emptying. The chassis and wheel base are optimized for front-wheel drive and the smoothest possible manoeuvring. The handle also has a quick-action device when you need to fold it forward for storing etc.

A handy electric starter is available as an optional extra.

Cutting width 48 cm. Cutting height 25-55 mm.  
Engine Briggs & Stratton Quantum 50. 190 cc/5,0 hp.  
Weight 41 kg. Art. No. 560 316 (standard),  
560 314 (electronic starter)

- SELF-PROPELLING WITH FRONT-WHEEL DRIVE.
- COLLECTOR AND MULCHER IN THE SAME MACHINE.
- 65 LITRE COLLECTOR.
- ELECTRIC STARTER AS AN OPTIONAL EXTRA.



### PRO COBRA S

The professional version of Klippo's large collector. The aerodynamic channels with extra-large aperture for the grass discharge give extremely effective collection. Even when you choose not to use the collector, the Pro Cobra S cuts highly effectively. Like all of Klippo's professional machines, the handle diverts vibrations at four levels and the most exposed wear parts are fully galvanized.

Cutting width 48 cm. Cutting height 25-55 mm.  
Engine Briggs & Stratton Intek Edge  
190 cc/6,0 hp. Weight 43 kg. Art. No. 560 188

- ANTI-VIBRATION SYSTEM.
- SELF-PROPELLING WITH FRONT-WHEEL DRIVE.
- MULCHER AND COLLECTOR IN THE SAME MACHINE.





## KLIPPO CYLINDER MOWER

Cylinder mowers give the best mowing result as each blade of grass is cut individually. We can offer both hand operated and motorised models.

### KLIPPO FREE

Our hand mowers work silently and are easy to push thanks to the contact-free five-blade cylinder, which is made of flame-hardened steel and runs in maintenance-free roller bearings. The mowing height is adjustable with the aid of a scale on either side of the mower. A stable machine with a comfortable, easy-grip handle. Collector available as an optional extra.

Art. No. 560 115

Collector Art. No. 560 120

- **CYLINDER OF FLAME HARDENED, HOT-ROLLED SPECIAL STEEL**
- **BALL BEARING MOUNTED BLADE CYLINDER**
- **CONTACT FREE BLADE CYLINDER**
- **SILENT AND EASY RUNNING**



### LAWNMASTER

The machine for the true perfectionist – a proper reel mower based on the classic English concept, with a large roller behind the blade cylinder, a smaller support roller in front and the collector at the front. The cylinder has 6 blades and is separately powered, i.e. operating independently of the propelling roller. The roller that propels the mower is rubber-lined so that it will work without slipping even when the grass is wet and/or the lawn slopes. The roller is separately driven and split in two for easier manoeuvring.

A stable chassis of 3 mm powder-sprayed steel. The weight and the large roller give the lawn the classic look with stripes. The collector made of composite material is standard. The machine can also be used without a collector. The engine is an overhead valve model from the well-known Briggs & Stratton.

Cutting width 50 cm.

Cutting height 7-30 mm.

Engine Briggs & Stratton Vanguard OHV 2,4 hp with overhead valves.

Weight 58 kg. Art. No. 560 127



#### LAWNMASTER GOLF

Klippo Lawnmaster is now available in a golf design. It is equipped with a 10-blade cylinder and a rake in front of the cylinder, which lifts the grass so each blade of grass is cut.

Cutting width 50 cm. Cutting height 2-30 mm. Engine Briggs & Stratton Vanguard OHV 4,0 hp.

Weight 59 kg. Art. No. 560 124

- **GENEROUS CUTTING WIDTH.**
- **SEPARATE COUPLING TO CYLINDER AND PROPULSION.**
- **COLLECTOR STANDARD.**
- **RUBBER-LINED ROLLER TO AVOID SLIPPING (NOT LAWNMASTER GOLF).**
- **6-BLADE, RESP. 10-BLADE CYLINDER FOR TIGHT, EVEN CUT.**



For those of you with very high demands on your lawn, Klippo can offer a real cylinder mower built in the classical English way with six or ten blades on the cylinder, a big roller in the rear and a support roller in front of the blade cylinder.

The result is an extremely wellcut lawn with "stripes". Take a look at Klippo Lawnmaster.

## KLIPPO PARK & GARDEN

### SCARIFIER S 400 B

A quality machine through and through, with a powerful 3,5 hp Briggs & Stratton engine. Adjustable working depth. Ergonomic steering bar with safety bail.

Steel wheels with double ball bearings. Working width 40 cm. Weight 45 kg. Art. no. 560 340



### SCARIFIER S 400 E

The same basic concept as the S 400 B, but fitted with a powerful electric engine with 1600 W output. If you prefer an electric machine, this scarifier is a reliable and silent workhorse. Separate blades and adjustable working depth. Ergonomic handle with safety grip.

Steel wheels with double ball bearings. Working width 40 cm. Weight 43 kg. Art. no. 560 345



### ELECTRIC CHAINSAW

A sturdy electric chainsaw with a 40 cm bar and 2000 W engine output to cope with stout trees. Automatic chain lubrication with 0,2 l oil tank. Chain tension easily adjustable without tools. Chain with 57 links. Weight 4.3 kg.

Art. no. 560 221



### CULTIVATOR ES 03 B

Robust, reliable cultivator which can do its job. Easy-to-start 3.5 hp Briggs & Stratton engine. Adjustable working depth. Adjustable control handles with OPC.

Working width 40 cm. Weight 30 kg. Art. no. 560 341



### RIDGING PLOUGH AND IRON WHEELS

Accessories for Klippo's cultivators which allow you to make furrows and ridges, e.g. when planting potatoes. Iron wheels are required for full functionality.

Ridging plough Art. No. 560 343  
Iron wheels Art. No. 560 344



### CULTIVATOR PS 045 H

A machine with very high working capacity. Low noise but strong 4,5 hp Honda engine, and reverse gear. Adjustable working depth. Plant protector plates standard. Adjustable control handles with OPC. The handles are easily folded for transport.

Working width 50 cm. Weight 34 kg. Art. no. 560 342



# KLIPPO TECHNICAL DATA

## LAWNMOWERS

Mulchers	Art. No.	Cutting system	Collector	Cutting width	Cutting height	Engine	Self-propelling	Accessories	Weight	Noise level db(a)*	Page
Klippo Energy	560 302	Mulcher blade	No	42 cm	25-50 mm	Electric 240V/1300W	No		22 kg	83 dB(A)	6
Klippo Triumph	560 300	Mulcher blade	No	42 cm	25-50 mm	B&S Sprint XT 158 cc/4,5 hp	No		24 kg	92 dB(A)	7
Klippo Champion	560 304	Mulcher blade	No	48 cm	30-60 mm	B&S Quantum 190 cc/5,0 hp	No	Catalytic converter	26 kg	92 dB(A)	7
Klippo Excellent	560 250	Cross-cut blade	No	48 cm	30-60 mm	B&S Quantum Ready Start 190 cc/6 hp	No	Catalytic converter	30 kg	92 dB(A)	8
Klippo Excellent GCV	560 253	Cross-cut blade	No	48 cm	30-60 mm	Honda GCV 135 cc/4,5 hp	No		28 kg	89 dB(A)	8
Klippo Excellent S	560 255	Cross-cut blade	No	48 cm	30-60 mm	B&S Quantum Ready Start 190 cc/6,0 hp	Yes	Catalytic converter	31 kg	92 dB(A)	9
Klippo Excellent S GCV	560 259	Cross-cut blade	No	48 cm	30-60 mm	Honda GCV 135 cc/4,5 hp	Yes		32 kg	90 dB(A)	9
Klippo Comet S	560 163	Cross-cut blade	No	53 cm	30-60 mm	B&S DOV Ready Start 160 cc/6,0 hp	Yes		32 kg	92 dB(A)	10
Klippo Comet S GCV	560 161	Cross-cut blade	No	53 cm	30-60 mm	Honda GCV 160 cc/5,5 hp	Yes	Catalytic converter	35 kg	93 dB(A)	10
Klippo Comet S Electronic Starter	560 164	Cross-cut blade	No	53 cm	30-60 mm	B&S DOV EI 160 cc/6,0 hp	Yes		35 kg	92 dB(A)	10

Collector	Art. No.	Cutting system	Collector	Cutting width	Cutting height	Engine	Self-propelling	Accessories	Weight	Noise level db(a)*	Page
Klippo Brilliant S	560 307	Collection	62 l	45 cm	20-70 mm	B&S Quantum 190 cc/5,0 hp	Yes	Catalytic converter	36 kg	95 dB(A)	14
Klippo Brilliant S Selfstart	560 311	Collection	62 l	45 cm	20-70 mm	B&S Quantum T&M 190 cc/5,0 hp	Yes	Catalytic converter	39 kg	95 dB(A)	14
Klippo Cobra S	560 316	Collection/Mulcher	65 l	48 cm	25-55 mm	B&S Quantum 190 cc/5,0 hp	Yes	Catalytic converter	41 kg	95 dB(A)	15
Klippo Cobra S Electronic Starter	560 314	Collection/Mulcher	65 l	48 cm	25-55 mm	B&S Quantum el 190 cc/5,0 hp	Yes	Catalytic converter	42 kg	95 dB(A)	15

Reel mowers	Art. No.	Cutting system	Collector	Cutting width	Cutting height	Engine	Self-propelling	Accessories	Weight	Noise level db(a)*	Page
Klippo Free	560 115	5 blade cylinder	Accessories	38 cm	14-45 mm	No	No	Collector	7,3 kg		16
Klippo Lawnmaster	560 127	6 blade cylinder/collection	Yes	50 cm	7-30 mm	Vanguard OHV 2,4 hp	Yes		58 kg	88 dB(A)	16
Klippo Lawnmaster Golf	560 124	10 blade cylinder/collection	Yes	50 cm	2-30 mm	Vanguard OHV 4,0 hp	Yes		59 kg	88 dB(A)	16

Professional mowers	Art. No.	Cutting system	Collector	Cutting width	Cutting height	Engine	Self-propelling	Accessories	Weight	Noise level db(a)*	Page
Klippo Pro 17	560 186	Mulcher blade	No	42 cm	25-50 mm	Honda GCV 135 cc/4,5 hp	No		26 kg	89 dB(A)	12
Klippo Pro 19 GCV	560 193	Mulcher blade	No	48 cm	30-60 mm	Honda GCV 135 cc/4,5 hp	No		30 kg	89 dB(A)	12
Klippo Pro 19 S	560 195	Mulcher blade	No	48 cm	30-60 mm	B&S DOV Ready Start 160 cc/6,0 hp	Yes		35 kg	91 dB(A)	13
Klippo Pro 21 S	560 200	Mulcher blade	No	53 cm	30-60 mm	B&S Intek Edge 190 cc/6,0 hp	Yes		35 kg	92 dB(A)	13
Klippo Pro 21 S GCV	560 202	Mulcher blade	No	53 cm	30-60 mm	Honda GCV 160 cc/5,5 hp	Yes		36 kg	92 dB(A)	13
Klippo Pro Cobra S	560 188	Collection/Mulcher	65 l	48 cm	25-55 mm	B&S Intek Edge 190 cc/6,0 hp	Yes		43 kg	95 dB(A)	15

\*measured sound level

**KLIPPO GUARANTEE:**  
 We know that you will be satisfied with your Klippo. All our experience and all our satisfied customers since 1954 indicate that. We also give a 2-year guarantee on all machines and a 5-year guarantee on the aluminium decks of all our lawnmowers (for private use). Remember to keep your receipt. Good luck with your new Klippo!

# KLIPPO TECHNICAL DATA

## PARK & GARDEN

Cultivator	ES03B	PS045H
Engine	B&S Sprint	Honda GCV
Power/Displ.	3,5 hp/148 cc	4,5 hp/135 cc
Working width	40 cm	50 cm
Adjustable handle	Height	Height/side
Weight	30 kg	34 kg
Art. No.	560 341	560 342
Accessories	Ridging plough, iron wheels	Ridging plough, iron wheels
Others	-	Reverse gear

Scarifier	S400B	S400E
Engine	B&S Sprint	Electrical 230 V
Power/Displ.	3,5 hp/148 cc	1600 W
Working width	40 cm	40 cm
Weight	45 kg	43 kg
Art. No.	560 340	560 345
Others	Loose blades	Loose blades

Electrical chainsaw	
Engine power	2150 W
Bar length	40 cm
Weight	4,3 kg
Others	Automatic chain lubrication, chain tension adjustable without tools.
Art. No.	560 221





**KLIPPO**

**THE PROFESSIONAL CHOICE**

KLIPPO AB, KNIVGATAN 3-7, S-212 28 MALMÖ. TEL +46 40 680 75 00. FAX +46 40 680 75 51. E-MAIL KLIPPO@KLIPPO.SE  
WWW.KLIPPO.COM